

EMBEDDED SECURITY FOR INTERNET OF THINGS

Mr. Sachin D. Babar
Center for Teleinfrstruktur
Niels Jernes Vej 12,
9220 Aalborg East, Denmark
Email: sdb@es.aau.dk

27/02/2010



SUPERVISORS



Dr. Neeli Rashmi Prasad Supervisor CTiF, AAU, Denmark

Prof. Ramjee Prasad Co-supervisor CTiF, AAU, Denmark Dr. Jaydip Sen
Co-supervisor
Tata Consultancy Services, India



Outline




- Internet of Thing(IoT) Scenario
- Embedded security : Needs
- Issues : Attacks, Challenges
- Research Goals
- Proposed work
- Conclusion



IoT Scenario






Shopping Mall



House of IoT








Embedded Security



Building security in from the start.





Embedded Security: Need Center for Teleb




- New Look
- Safety
- Risk potential
- Financial aspects
- New business models
- Privacy



Issues: Attacks







Device Challenges



- Computational Time
- Energy Consumption
- Memory limitations



Security Architectures



- Software based approach
 - make use of programmability of embedded general purpose processors
- Hardware based approach
 - makes use of ASICs
- Hybrid Approach
 - combination of the two previous approaches



Research Goal




- To Design and implement embedded security framework and architecture for IoT.
- To specify and design optimized crypto techniques by proper hardware and software partitioning & optimization.
- To embed security features at kernel level for providing a secure runtime environment.
- To propose a well defined design methodology for achieving an efficient adequacy between the new algorithms/protocols and the heterogeneous hardware-Software development platform.



Proposed work





Features

- Flexible
- Cost
- Heterogeneous
- Scalable
- Tamper resistance

27/02/2010



Conclusion



- Embedded security "connects" a device to the system.
- Treat Security as an integral part of System design.
- Hybrid approach for security is the best trade-off between efficiency and flexibility





Thank you



